Multipurpose Portable Lithium Battery Power Station For Home Outdoor Emergency

UN38.3,MSDS,UL,CB,BIS,PSE,GB4943.1 safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE

Basic Information

- Place of Origin:
- Brand Name: XWELL

China

Carton

7-10 working days

5000 pcs per month

MoneyGram

- Certification:
- Model Number: XW-1000W-01
- Minimum Order Quantity: 1 pcs
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, D/A, D/P, T/T, Western Union,
- Supply Ability:



Product Specification

- USB1 Output: QC3.0 MAX 18 W 12V
 - Maximum 100W
- TYPE-C1 Output: PD / QC3.0 MAX 30W 12V/2.5A
- DC1 DC2 Output: 12V / 10A MAX
- Charging Parameters: DC 12-24V / 5A
- Batteries Type:

• USB2 Output:

- Input Power Supply:
- AC Output: AC110V/220V/50Hz/60Hz
- USB Output:
- Type-C Output:
- Highlight:
- QC3.0 Fast Charging, 5V-3A, 9V-2A, 12V-

12V-24V/1-5A

LiFePO4 Battery

- 1.5A, 18W Total Power
- PD 120W Output
 - Multipurpose Portable Lithium Battery Power Station
 - Outdoor Portable Lithium Battery Power Station , Emergency home battery power station

Product Description

Portable Lithium Battery Power Station Supports External Solar Panels Home Outdoor Emergency Appliance Many portable power stations come with built-in safety features, such as overcharge protection, short-circuit protection, and low-voltage protection. These features help to prevent damage to the power station and your devices. The weight and size of a portable power station vary depending on the battery capacity and the number of outlets it has. Smaller power stations are more compact and easier to carry, while larger power stations have more outlets and higher battery capacity.

Features

1. Consider the size and weight of the battery if you plan to carry it around with you.

2.A smaller and lighter battery will be more portable, but it will also have a smaller capacity.

3.Look for batteries that have safety features such as overcharge protection, short circuit protection, and temperature protection.

⁴.Brand reputation and It is always a good idea to research the brand and read customer reviews before making a purchase. **Specification**

Category	Project	Specifications
INTPUT	DC input	DC5521 12-24V-5A
	DC input	PD 120W
AC OUT 220V	AC output voltage	1 port, AC220V±5%
	AC output power	1000W
	AC output over power protection	1000W Approximately
	AC output waveform	pure sine wave
	AC output peak	1200W Peak maintenance time <50ms
	frequency	50Hz/60Hz
USB output port	USB1 output	QC3.0 MAX 18 W 12V / 1.5A ; SCP maximum output power: maximum 18W
	USB2 output	QC3.0 MAX 18 W 12V / 1.5A ; SCP maximum output power: maximum 100W
	TYPE-C1 output	PD / QC3.0 MAX 30W 12V/2.5A
DC12V output	DC1 DC2 output	12V / 10A MAX
TYPE-C output/input	TYPE-C2	PD 100W output
Batteries	type	LiFePO4 battery / 3600mAh
	capacity	36Ah (8SP)
	power	920Wh
	cycle life	1000+ times
Charging parameters		DC 12-24V / 5A
charging time	5 - 6H	Charge from 0% to 100% (automatic cut-off)
Full voltage	21.9V ±0.1V	The voltage when the battery is charged to the automatic cut-off
LCD display	Display power;charging, stop charging status	Battery percentage and battery column display
	DC, AC, inverter status	The display shows
boot static		<10W
Protective function		Short circuit, overload, over temperature, over voltage, over current, under voltage, etc.
over temperature protection	over temperature protection	≥85
	over temperature recover	y≤70

Our services

- 1. Your inquiry related to our products price will be replied in 24 hours.
- 2. Experienced staffs to answer all your enquiries in fluent English
- 3. We make the OEM and ODM service for more than 5 years
- 4. Protection of your sales area, ideas of design and all your private information.
- 5. No matter big order or small order, we will provide all the best quality, best service.
- 6. If our products have any problem that we caused, they will be sent free in the next order.

for more products please visit us on esslithiumbattery.com

XWELL GUANGDONG XWELL TECHNOLOGY CO., LTD.



sales@esslithiumbattery.com

esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China