



## High Performance Lifepo4 Battery Pack Reliable Power For Devices

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: XWELL
- Certification: UN38.3, MSDS, UL, CB, BIS, PSE, GB4943.1 safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE
- Model Number: XW-3200W
- Minimum Order Quantity: 1 pcs
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 pcs per month



### Product Specification

- Pack Kind: LiFePO4 Battery Pack
- Rate Energy: 3.2KW
- Spcified Energy: 5.0Kwh
- Maximum Power: 5.0Kw
- Pack Voltage Output: 48V
- Wave Output: Pure Sine Wave Form
- Charge Current: 50A
- Discharge Current: 100A
- Cycle Time: 6000 Cycles
- Pck Capacity: 100Ah - 200Ah
- Highlight: **Reliable Power Lifepo4 Battery Pack, High Performance Lifepo4 Battery Pack, Lifepo4 Battery Pack for Devices**

for more products please visit us on [esslithiumbattery.com](http://esslithiumbattery.com)

## Product Description

### 51.2V 10.24kwh Stack Battery Lithium Storage All In One Battery + BMS + Inverter

#### Lifepo4 Battery Pack advantages

##### Stackable/Wall Design

Crepower lifepo4 battery packs has stackable/wall design, for low voltage and high voltage hybrid inverters, with rack, cables and accessories ready for installation.

##### Wide Application

Crepower Lithium Ion packseries are widely used in Solar projects for commercial and industrial use. With more than 6000 times deep cycle, up to 80% DOD and phosphate battery Cell, Crepower Powerwall has won global approval!

##### Integrated Function

Crepower Lithium pack modules can be installed in parallel with combiner box for protection, with it's integrated BMS communication protocol to comprehensive hybrid and off grid inverters!

##### WIFI-Bluetooth Monitor

Customise settings for personalised savings


24/7 Stay connected with instant alerts before severe weather

Manage your energy

#### Lifepo4 Battery Pack Specification

Battery Parameters		
Model	51.2V100Ah	51.2V200Ah
Nominal voltage	51.2V	
Nominal capacity (kwh)	5KWh	10KWh
Cell type	LiFePO4	
Cycle life	>6000 Cycles(80%DOD)	
Charge temperature range	0~65°C	
Discharge temperature range	-20~65°C	
Maximum continuous charge current	50A	
Maximum continuous discharge current	100A	
Color	Black /White	
Dimension (mm)	710x300x600	710x300x800
Weight	81Kg	110Kg
Installation method	Floor type with wheels	
Inverter Parameters		
Rated power	3.2KW	
Peak power	5KW	
Output wave form	Pure sine wave	
Input/Output AC voltage	AC 110V/220V	
Input/Output AC voltage frequency	50Hz/60Hz	

#### Lifepo4 Battery Pack Connection Diagram



#### Our service

1. 3 years warranty for solar lights and solar power generation system, 15 years warranty for solar panels.
2. Good packaging.
3. The main components are matched with 1% accessories.
4. In addition to customer service spare parts, customers need to take photos of damaged parts or confirm test data, and we will send damaged parts or brand new products to consumers. (Consumers who give up the opportunity to cooperate again need to bear the freight by themselves)

5. You are welcome to contact us 24 hours a day.

### Company Information

We are a technological innovation company, mainly engaged in R&D and sales of lithium battery and battery pack technology, focusing on the R&D and manufacturing of new energy storage products.

In the beginning of the company establishment in 2005, we occupied 40% market share in Guangdong Province with single-chip programming charging solution, and won exclusive orders from Wal-Mart, after 16 years continuously development, now the company has industry-leading lithium battery PACK R&D experience and manufacturing equipment, and a professional technical team provides one-stop service of new energy battery products for domestic and foreign customers regarding the industry needs.



**XWELL** GUANGDONG XWELL TECHNOLOGY CO., LTD.

+86 18620492985

sales@esslithiumbattery.com

esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China